



Injector Performance Table
Water Suction Capacity

Operating Pressure PSIG		WATER SUCTION		Operating Pressure PSIG		WATER SUCTION	
Injector INLET	Injector OUTLET	Motive Flow GPM	Water Suction GPH	Injector INLET	Injector OUTLET	Motive Flow GPM	Water Suction GPH
5	0	10.7	123	60	0	37.2	319
	1		74.7		5		318
	2		26.3		10		317
	3				15		307
	4		*(3.5)		20		288
10	0	15.2	241		30		174
	2		155		35		76.4
	5		43.3		40		
	7				45		*(38.2)
	8		*(6.5)				
15	0	18.6	262	70	0	40.1	316
	5		157		5		316
	7		86.5		10		316
	10				15		312
	12		*(9.4)		20		300
20	0	21.4	308		30		260
	5		231		40		68.2
	10		120		45		
	12		39.3		50		
	15		*(12.7)		55		*(44.7)
25	0	24.0	324	80	0	42.9	321
	5		275		5		321
	10		204		10		321
	15		50.5		15		321
	20		*(15.4)		20		311
30	0	26.3	323		30		287
	5		299		40		209
	10		251		50		
	15		137		60		
	20		*(19.3)		65		*(51.1)
35	0	28.4	326	90	0	45.5	309
	5		318		5		309
	10		286		10		309
	15		204		20		302
	20		66.6		30		295
40	0	30.3	324		40		270
	5		321		50		106
	10		307		60		
	15		257		70		
	20		146		75		*(57.5)
45	0	32.2	326	100	0	48.0	305
	5		324		5		305
	10		318		10		305
	15		287		20		300
	20		210		30		282
50	25	33.9	106		40		273
	30				50		193
	35		*(28.7)		60		14.6
	40				70		
			*(32.4)				*(63.2)

Model 1585X

Copyright© 2014 REV 2014

Mazzei Injector Company, LLC
 500 Rooster Drive, Bakersfield, CA 93307-9555 USA

TEL 661.363.6500 • FAX 661.363.7500 • www.mazzei.net

**NUMBERS IN PARENTHESIS indicate the injector outlet pressure when suction stops (Zero Suction Point).*



Injector Performance Table
Water Suction Capacity - METRIC

Operating Pressure kg/cm ²		WATER SUCTION		Operating Pressure kg/cm ²		WATER SUCTION	
Injector Inlet	Injector Outlet	Motive Flow l/min	Water Suction l/hr	Injector Inlet	Injector Outlet	Motive Flow l/min	Water Suction l/hr
0.35	0.00	40.6	467	4.22	0.00	141	1,210
	0.07		283		0.35		1,206
	0.14		99.5		0.70		1,202
	0.21				1.05		1,163
	0.28		*(0.25)		1.41		1,092
0.70	0.00	57.4	914		2.11		661
	0.14		589		2.46		289
	0.35		164		2.81		
	0.49				3.16		*(2.69)
	0.56		*(0.46)				
1.05	0.00	70.3	991	4.92	0.00	152	1,199
	0.35		597		0.35		1,199
	0.49		327		0.70		1,199
	0.70				1.05		1,181
	0.84		*(0.66)		1.41		1,139
1.41	0.00	81.2	1,168		2.11		984
	0.35		877		2.81		258
	0.70		455		3.16		
	0.84		148		3.52		
	1.05		*(0.89)		3.87		*(3.14)
1.76	0.00	90.8	1,228	5.62	0.00	162	1,217
	0.35		1,042		0.35		1,217
	0.70		774		0.70		1,217
	1.05		191		1.05		1,217
	1.41		*(1.08)		1.41		1,178
2.11	0.00	99.4	1,222		2.11		1,086
	0.35		1,134		2.81		792
	0.70		950		3.52		
	1.05		520		4.22		
	1.41		*(1.36)		4.57		*(3.59)
2.46	0.00	107	1,234	6.33	0.00	172	1,170
	0.35		1,204		0.35		1,170
	0.70		1,084		0.70		1,170
	1.05		772		1.41		1,146
	1.41		252		2.11		1,120
2.81	0.00	115	1,227		2.81		1,025
	0.35		1,216		3.52		402
	0.70		1,165		4.22		
	1.05		972		4.92		
	1.41		554		5.27		*(4.04)
3.16	0.00	122	1,233	7.03	0.00	182	1,154
	0.35		1,226		0.35		1,154
	0.70		1,204		0.70		1,154
	1.05		1,086		1.41		1,136
	1.41		795		2.11		1,070
3.52	0.00	128	1,222		2.81		1,036
	0.35		1,208		3.52		732
	0.70		1,194		4.22		55.4
	1.05		1,122		4.92		
	1.41		952		5.62		*(4.44)
1.76	593						
2.11	171						
2.46							
2.81	*(2.28)						

Model 1585X

Copyright© 2014 REV 2014

Mazzei Injector Company, LLC
 500 Rooster Drive, Bakersfield, CA 93307-9555 USA

TEL 661.363.6500 • FAX 661.363.7500 • www.mazzei.net

**NUMBERS IN PARENTHESIS indicate the injector outlet pressure when suction stops (Zero Suction Point).*



Operating Pressure PSIG		AIR SUCTION		Operating Pressure PSIG		AIR SUCTION			
Injector INLET	Injector OUTLET	Motive Flow GPM	Air Suction SCFH	Injector INLET	Injector OUTLET	Motive Flow GPM	Air Suction SCFH		
5	0	10.3	56.3	60	0	35.6	232		
	1		12.0		5		182		
	2		6.9		10		77.7		
	3				15		51.6		
	4		*(3.5)		20		35.6		
10	0	14.5	64.9		30		18.5		
	2		20.0		35		10.1		
	5		11.6		40				
	7				45		*(38.2)		
	8		*(6.5)						
15	0	17.8	117		70		0	38.5	261
	5		18.7				5		213
	7		11.6				10		90.3
	10						15		59.9
	12		*(9.4)				20		46.4
20	0	20.6	130	30		26.9			
	5		31.1	40		12.2			
	10		12.7	45					
	12		6.4	50					
	15		*(12.7)	55		*(44.7)			
25	0	23.0	145	80		0	41.1		276
	5		48.5			5			233
	10		20.2			10			120
	15		8.0			15			79.3
	20		*(15.4)			20			59.0
30	0	25.2	169		30	34.4			
	5		60.8		40	22.2			
	10		25.7		50	1.4			
	15		14.7		60				
	20				65	*(51.1)			
35	0	27.2	175		90	0		43.6	291
	5		78.1			5			234
	10		34.2			10			138
	15		20.6			20			65.8
	20		10.5			30			41.9
40	0	29.1	177	40		27.6			
	5		87.4	50		13.2			
	10		45.3	60					
	15		24.9	70					
	25		16.6	75		*(57.5)			
45	0	30.8	229	100		0	46.0		318
	5		105			5			250
	10		51.1			10			188
	15		32.5			20			76.8
	20		21.6			30			51.5
50	0	32.5	203		40	33.5			
	5		129		50	21.8			
	10		56.6		60	7.1			
	15		38.1		70				
	20		27.4		80	*(63.2)			
60	0	35.6	232		120	0		50.4	337
	5		182			5			262
	10		77.7			10			234
	15		51.6			20			100
	20		35.6			30			64.9
70	0	38.5	261	40		46.2			
	5		213	50		35.5			
	10		90.3	60		22.2			
	15		59.9	70		8.3			
	20		46.4	80					
80	0	41.1	276	90					
	5		233	100		*(75.3)			
	10		120						
	15		79.3						
	20		59.0						
90	0	43.6	291						
	5		234						
	10		138						
	20		65.8						
	30		41.9						
100	0	46.0	318						
	5		250						
	10		188						
	20		76.8						
	30		51.5						
110	0	48.8	337						
	5		262						
	10		234						
	20		100						
	30		64.9						
120	0	50.4	356						
	5		281						
	10		253						
	20		120						
	30		77.7						

Air Suction Capacity
 Injector Performance Table
 Model 1585X

Copyright© 2014 REV 2014

Mazzei Injector Company, LLC
 500 Rooster Drive, Bakersfield, CA 93307-9555 USA

TEL 661.363.6500 • FAX 661.363.7500 • www.mazzei.net

*NUMBERS IN PARENTHESIS indicate the injector outlet pressure when suction stops (Zero Suction Point).



Injector Performance Table
Air Suction Capacity - METRIC

Operating Pressure kg/cm ²		AIR SUCTION		Operating Pressure kg/cm ²		AIR SUCTION	
Injector INLET	Injector OUTLET	Motive Flow l/min	Air Suction l/min	Injector INLET	Injector OUTLET	Motive Flow l/min	Air Suction l/min
0.35	0.00	38.9	26.6	4.22	0.00	135	109
	0.07		5.6		0.35		85.9
	0.14		3.2		0.70		36.7
	0.21				1.05		24.3
	0.28		*(0.25)		1.41		16.8
0.70	0.00	55.0	30.6		2.11		8.7
	0.14		9.4		2.46		4.7
	0.35		5.5		2.81		
	0.49				3.16		*(2.69)
	0.56		*(0.46)				
1.05	0.00	67.4	55.3	4.92	0.00	146	123
	0.35		8.8		0.35		100
	0.49		5.5		0.70		42.6
	0.70				1.05		28.3
	0.84		*(0.66)		1.41		21.9
1.41	0.00	77.8	61.7		2.11		12.6
	0.35		14.6		2.81		5.8
	0.70		6.0		3.16		
	0.84		3.0		3.52		
	1.05		*(0.89)		3.87		*(3.14)
1.76	0.00	87.0	68.6	5.62	0.00	156	130
	0.35		22.9		0.35		110
	0.70		9.5		0.70		56.7
	1.05		3.8		1.05		37.4
	1.41		*(1.08)		1.41		27.8
2.11	0.00	95.3	79.8		2.11		16.2
	0.35		28.7		2.81		10.4
	0.70		12.1		3.52		0.69
	1.05		6.9		4.22		
	1.41		*(1.36)		4.57		*(3.59)
2.46	0.00	103	82.8	6.33	0.00	165	137
	0.35		36.9		0.35		110
	0.70		16.1		0.70		65.2
	1.05		9.7		1.41		31.0
	1.41		4.9		2.11		19.7
2.81	0.00	110	83.5		2.81		13.0
	0.35		41.2		3.52		6.2
	0.70		21.3		4.22		
	1.05		11.7		4.92		
	1.41		7.8		5.27		*(4.04)
3.16	0.00	117	108	7.03	0.00	174	150
	0.35		49.7		0.35		118
	0.70		24.1		0.70		89.0
	1.05		15.3		1.41		36.2
	1.41		10.1		2.11		24.3
3.52	0.00	123	96.1		2.81		15.8
	0.35		61.1		3.52		10.3
	0.70		26.7		4.22		3.3
	1.05		17.9		4.92		
	1.41		12.9		5.62		*(4.44)
3.52	0.00	123	96.1	8.44	0.00	191	159
	0.35		61.1		0.35		123
	0.70		26.7		0.70		110
	1.05		17.9		1.41		47.3
	1.41		12.9		2.11		30.6
	1.76		8.2		2.81		21.8
	2.11		3.0		3.52		16.7
	2.46				4.22		10.4
2.81	*(2.28)	4.92	3.9				
		5.62					
		6.33					
		7.03	*(5.29)				

Copyright© 2014 REV 2014

Mazzei Injector Company, LLC
 500 Rooster Drive, Bakersfield, CA 93307-9555 USA

TEL 661.363.6500 • FAX 661.363.7500 • www.mazzei.net

*NUMBERS IN PARENTHESIS indicate
 the injector outlet pressure when
 suction stops (Zero Suction Point).

Model 1585X